CITY OF ISSAQUAH WASHINGTON
WASTITINGTON

SHORT PLAT NO. SP17-____

ΑP	PR	ROVALS	
CITY	OF	ISSAQUAH	

DSD PLANNER

DEPAF	RTMEN	T OF	ASSESS	SMEN	TS	
EXAMINED	AND APP	ROVED TH	IS	DAY OF		_2017.
ACCOUNT	NUMBER:	332406-	9508			

DEPUTY ASSESSOR

VOL./PAGE

PORTION SE1/4 & SW1/4 OF SE1/4 SECTION 33, T24N, R6E, W.M. CITY OF ISSAQUAH, KING COUNTY, WASHINGTON

DECLARATION

KNOW ALL PEOPLE BY THESE PRESENTS THAT WE THE UNDERSIGNED OWNERS OF THE LAND HEREIN DESCRIBED DO HEREBY MAKE A SHORT PLAT THEREOF PURSUANT TO RCW 58.17.060 AND DECLARE THIS SUBDIVISION TO BE THE GRAPHIC REPRESENTATION OF THE SAME, AND THAT SAID SHORT PLAT IS MADE WITH THE FREE CONSENT AND IN ACCORDANCE WITH THE DESIRES OF THE OWNER(S).

IN WITNESS WHEREOF WE SET OUR HANDS AND SEALS:

SQUAK MOUNTAIN LLC.

BY:

ITS:

EXISTING LEGAL DESCRIPTION:

DATE

DSD LAND DEVELOPMENT MANAGER

THAT PORTION OF THE SOUTHEAST QUARTER OF SECTION 33, TOWNSHIP 24 NORTH, RANGE 6 EAST, WILLAMETTE MERIDIAN, IN KING COUNTY, WASHINGTON, DESCRIBED AS FOLLOWS:

ASSESSOR

DATE

COMMENCING AT THE SOUTH QUARTER CORNER OF SAID SECTION 33; THENCE SOUTH 89°10'17" EAST ALONG THE SOUTH LINE THEREOF 797.51 FEET TO THE TRUE POINT OF BEGINNING; THENCE CONTINUING SOUTH 89'10'17" EAST ALONG SAID SOUTH LINE 1,159.15 FEET TO A POINT WHICH IS DISTANT

700.00 FEET FROM THE SOUTHEAST CORNER OF SAID SECTION; THENCE NORTH 02°02'06" EAST PARALLEL TO THE EAST LINE OF SAID SECTION 1,150 FEET, MORE OR LESS, TO THE CENTERLINE OF CABIN CREEK;

THENCE SOUTHWESTERLY ALONG THE CENTER OF SAID CABIN CREEK 1,000 FEET, MORE OR LESS, TO THE NORTH LINE OF THE NORTH HALF OF THE SOUTHEAST QUARTER OF THE SOUTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SAID SECTION 33;

THENCE SOUTH 88°53'09" EAST ALONG SAID NORTH LINE 145 FEET, MORE OR LESS, THE EAST LINE OF SAID NORTH HALF;

THENCE SOUTH 02°12'33" WEST ALONG SAID EAST LINE 334.66 FEET TO THE SOUTH LINE OF SAID NORTH HALF; THENCE NORTH 89°01'43" WEST ALONG SAID SOUTH LINE 543.45 FEET TO A POINT WHICH BEARS NORTH FROM THE TRUE POINT OF BEGINNING;

THENCE SOUTH 337.36 FEET TO THE TRUE POINT OF BEGINNING;

DSD ENGINEER

TOGETHER WITH AN EASEMENT 30 FEET WIDE FOR INGRESS, EGRESS AND UTILITIES, THE CENTERLINE DESCRIBED AS

BEGINNING AT THE INTERSECTION OF WILDWOOD BOULEVARD SOUTH AND SUNRISE PLACE SOUTHWEST; THENCE SOUTH 05'26'54" WEST ALONG THE CENTERLINE OF SAID SUNRISE PLACE SOUTHWEST 394.90 FEET TO THE TERMINATION OF SAID SUNRISE PLACE SOUTHWEST AND THE TRUE POINT OF BEGINNING;

THENCE SOUTH 05°26'54" WEST 43.66 FEET TO A TANGENT CURVE HAVING A RADIUS OF 315.63 FEET:

THENCE ALONG SAID CURVE TO THE LEFT THROUGH AN ANGLE OF 26°44'00" 147.26 FEET; THENCE SOUTH 21°17'06" EAST 132.98 FEET;

THENCE SOUTH 10°52'53" EAST 98.10 FEET TO A TANGENT CURVE HAVING A RADIUS OF 500.00 FEET; THENCE ALONG SAID CURVE TO THE LEFT THROUGH AN ANGLE 17°20'13" 151.29 FEET;

THENCE SOUTH 28°13'06" EAST 192.47 FEET TO A TANGENT CURVE HAVING A RADIUS OF 30.00 FEET;

THENCE ALONG SAID CURVE TO THE RIGHT THROUGH AN ANGLE 04°58'42" 49.73 FEET; THENCE SOUTH 66°45'36" WEST 202.48 FEET TO A TANGENT CURVE HAVING A RADIUS OF 100.00 FEET;

THENCE ALONG SAID CURVE TO THE RIGHT THROUGH AN ANGLE OF 26°46'37" 46.73 FEET;

THENCE NORTH 86°27'47" WEST 106.89 FEET TO A TANGENT CURVE HAVING A RADIUS OF 100.00 FEET; THENCE ALONG SAID CURVE TO THE LEFT THROUGH AN ANGLE OF 46°42'13" 81.51 FEET;

THENCE SOUTH 46'50'00" WEST 257.60 FEET TO A TANGENT CURVE HAVING A RADIUS OF 50.00 FEET; THENCE ALONG SAID CURVE TO THE RIGHT THROUGH AN ANGLE OF 49°55'37" 43.57 FEET;

THENCE NORTH 83°14'33" WEST 35.75 FEET THROUGH A TANGENT CURVE HAVING A RADIUS OF 25.00 FEET;

THENCE ALONG SAID CURVE TO THE LEFT THROUGH AN ANGLE OF 105°34'55" 46.07 FEET;

SECTION 33, TOWNSHIP 24 NORTH, RANGE 6 EAST, W.M., IN KING COUNTY, WASHINGTON;

THENCE SOUTH 08°49'28" EAST 81.25 FEET TO A TANGENT CURVE HAVING A RADIUS OF 50.00 FEET;

THENCE ALONG SAID CURVE TO THE RIGHT THROUGH AN ANGLE OF 72°17'05" 63.08 FEET; THENCE SOUTH 63°27'37" WEST 80 FEET, MORE OR LESS, TO A TERMINATION POINT ON THE NORTH LINE OF THE NORTH HALF OF THE SOUTHEAST QUARTER OF THE SOUTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SAID

EXCEPT ANY PORTION LYING WITHIN THE ABOVE DESCRIBED MAIN TRACT.

SITUATE IN THE CITY OF ISSAQUAH, COUNTY OF KING, STATE OF WASHINGTON.

SW HEPLER LN SITE VICINITY MAP

ACKNOWLEDGMENT: STATE OF WASHINGTON	
SS. COUNTY OF	
I CERTIFY THAT I KNOW OR HAVE SATISFACTORY EVIDENCE TH	_
ME, AND SAID PERSON ACKNOWLEDGED THAT (S)HE SIGNED THIS INSTRUME	
AND ACKNOWLEDGED IT AS OF SQL	UAK
MOUNTAIN, LLC, TO BE HIS/HER FREE AND VOLUNTARY ACT FOR THE USES A	AND
PURPOSES MENTIONED IN THE INSTRUMENT.	
DATED THISDAY OF, 2017.	
NOTARY PUBLIC IN AND FOR THE STATE OF WASHINGTON	

SQUAK MOUNTAIN SHORT PLAT

PORTION SE1/4 & SW1/4 OF SE1/4 SECTION 33, T24N, R6E, W.M. CITY OF ISSAQUAH, KING COUNTY, WASHINGTON

RECORDER'S CERTIFICATE

THE REQUEST OF OWEN B. HILLE.

MANAGER

FILED FOR RECORD THIS DAY OF,20...... AT PM IN BOOK OF AT PAGE.......AT

SUPT. OF RECORDS

LAND SURVEYOR'S CERTIFICATE THIS SHORT PLAT CORRECTLY REPRESENTS A SURVEY MADE BY ME OR UNDER MY


DIRECTION IN CONFORMANCE WITH THE REQUIREMENTS OF THE SURVEY RECORDING ACT AT THE REQUEST OF SQUAK MOUNTAIN, LLC., IN JUNE, 2017.



RESIDING AT_ PRINTED NAME

COMMISSION EXPIRES

11/13/2017 DATE



18215 72ND AVENUE SOUTH KENT, WA 98032 (425)251-6222(425)251-8782 FAX CIVIL ENGINEERING, LAND PLANNING,


NG ENGINEER

SURVEYING, ENVIRONMENTAL SERVICES

	,	
DWN. BY	DATE	JOB NO.
KMA	11/13/17	18045
CHKD. BY	SCALE	SHEET
OBH	N/A	1 OF 4
	DWN. BY KMA CHKD. BY	DWN. BY KMA DATE 11/13/17 CHKD. BY SCALE

RECORDING	NO.	VOL./PAGE

PORTION SE1/4 & SW1/4 OF SE1/4 SECTION 33, T24N, R6E, W.M. CITY OF ISSAQUAH, KING COUNTY, WASHINGTON



LEGEND:

FOUND SECTION CORNER AS NOTED

FOUND QUARTER CORNER AS NOTED

SECTION CORNER (CALCULATED POSITION)

QUARTER CORNER (CALCULATED POSITION)

FOUND MONUMENT AS NOTED

TOTAL SITE AREA:

858,229 SQ. FT. (19.70 AC.)

SURVEYOR'S NOTES:

BASIS OF BEARINGS: (NAD 83/91)

NORTH 05°23'52" WEST, AS MEASURED BETWEEN WSDOT MONUMENT 4658 (IS1793) AND WSDOT MONUMENT 4662(IS1797).

VERTICAL DATUM: NAVD 88

VERTICAL BENCHMARK:

WSDOT MONUMENT 4658 (IS1793), BEING A FOUND 1 1/2" ALUMINUM DISK SET IN THE NORTHWEST CORNER OF A POWER VAULT AT THE NORTHERLY INTERSECTION OF MOUNTAINSIDE DRIVE AND IDYLWOOD DRIVE S.W. ELEV.=634.01 US FEET

FIELD SURVEY BY BARGHAUSEN CONSULTING ENGINEERS, INC. CONDUCTED IN MAY, 2016. ALL MONUMENTS SHOWN AS FOUND WERE VISITED AT THAT


REFERENCE SURVEYS:
1. KELARI, A BINDING SITE PLAN, REC. NO. 19990902000332

PROCEDURE / NARRATIVE:

A FIELD TRAVERSE USING A TOPCON PS AND A TOPCON GR-5 SUPPLEMENTED WITH FIELD NOTES, WAS PERFORMED, ESTABLISHING THE ANGULAR, VERTICAL AND DISTANCE RELATIONSHIPS BETWEEN THE MONUMENTS, PROPERTY LINES AND IMPROVEMENTS. THE RESULTING DATA MEETS OR EXCEEDS THE STANDARDS FOR LAND BOUNDARY SURVEYS AS SET FORTH IN WAC 332-130-090.

SQUAK MOUNTAIN SHORT PLAT

PORTION SE1/4 & SW1/4 OF SE1/4 SECTION 33, T24N, R6E, W.M. CITY OF ISSAQUAH, KING COUNTY, WASHINGTON





18215 72ND AVENUE SOUTH KENT, WA 98032 (425)251-6222


	,	
DWN. BY	DATE	JOB NO.
KMA	11/13/17	18045
CHKD. BY	SCALE	SHEET
OBH	1" = 300'	2 OF 4

	CITY OF ISSAQUAH WASHINGTON
SHORT PLAT	NO. SP17-

EXISTING SITE CONDITIONS

RECORDING NO. VOL./PAGE

PORTION SE1/4 & SW1/4 OF SE1/4 SECTION 33, T24N, R6E, W.M. CITY OF ISSAQUAH, KING COUNTY, WASHINGTON





CURVE TABLE

CURVE DELTA RADIUS LENGTH

C1 90°00'00" 27.50' 43.20'

C2 52°37'38" 27.50' 25.26'






BELLEVOL, WITH OUT OF			
DWN. BY	DATE	JOB NO.	
KMA	11/13/17	18045	
CHKD. BY	SCALE	SHEET	
OBH	1" = 100'	3 OF 4	
		•	

	CITY OF ISSAQUAH WASHINGTON
SHORT PLAT	NO SP17-

NEW LOT LINES & EASEMENTS

RECORDING NO. VOL./PAGE


PORTION SE1/4 & SW1/4 OF SE1/4 SECTION 33, T24N, R6E, W.M. CITY OF ISSAQUAH, KING COUNTY, WASHINGTON




 CURVE
 DELTA
 RADIUS
 LENGTH

 C1
 90'00'00"
 27.50'
 43.20'

 C2
 52'37'38"
 27.50'
 25.26'





WN. BY	DATE	JOB NO.	
KMA	11/13/17	18045	
HKD. BY	SCALE	SHEET	
OBH	1" = 100'	4 OF 4	
	WN. BY KMA HKD. BY	WN. BY KMA DATE 11/13/17 HKD. BY SCALE	